

IVAS

Fans | Lighting | Water Heater | Tiles | Sanitaryware | Bath Fittings
Modular Kitchens & Wardrobes | Designer Hardware

INFRA MARKET HOUSE

Road No. 16Z, Opposite Ashar IT Park, Wagle Industrial Estate,
Thane (W), Maharashtra 400604.

Website: www.ivas.homes | Email: contact@ivas.homes

 99000 80007

Powered By

INFRA.MARKET

creative concept by : pixelatingstudios.com

IVAS

LED LIGHTING SOLUTION

Better lighting,
Better moments



COLLECTION 2023-24

Powered By

INFRA.MARKET



IVAS

I am delighted to partner with IVAS, a pioneering brand that is revolutionizing the market with its premium products to make your home look beautiful.

IVAS Electricals offers a comprehensive range of LED Lighting products that are highly energy efficient with top-notch performance.

Let's electrify the future with IVAS Electricals!

A handwritten signature in orange ink that reads "Shilpa Shetty".

Shilpa Shetty



Powered By
INFRA.MARKET



LED INDOOR BULBS

- LED 0.5W Bulbs 08-09
- LED 0.5W Bulb (With Plug) 08-09
- LED Bulbs 10-11
- LED Half Dome Bulb 10-11
- Inverter Bulb 12-13
- LED High Wattage Bulbs 14-15

LED INDOOR BATTEN

- LED Batten 16-17

LED INDOOR CEILING LIGHTS

- GEMO Series 20-21
- Deep COB Light 20-21
- Classic Deep Downlight PC Body 22-23
- LED COB Downlight Aluminum Body 24-25
- LED COB Downlight PC Body 24-25
- LED Rimless Panel Light 26-27
- Adjustable Panel Light 28-29
- LED Backlit PC body 3-in-1 32-33
- LED Backlit PC Body Panel 34-35
- LED Edgelit PC Body Slim Panel 36-37
- LED Surface Panel Light 38-39
- Compact Surface Light 40-41
- LED Concealed Downlight 40-41
- LED Mini Surface Light 42-43
- Spot Light PC Body 42-43
- LED Cabinet Light 42-43
- 2 x 2 Backlit LED Panel 44-45

Page No.

LED OUTDOOR LIGHTS

Page No.

- LED Foot Lamp 48-49
- LED Bulkhead Light 50-51
- LED Wall Light 54-55
- LED Street Lights 58-59
- LED Flood Lights 58-59
- Garden Lights 60-61
- Rope Light 62-63

LED INDUSTRIAL LIGHT

- LED Highbay Lights 67-68
- LED Highbay Lights - UFO 67-68






LED LIGHTS

- LED 0.5W Bulbs
- LED 0.5W Bulb (With Plug)
- LED Bulbs
- LED Half Dome Bulb
- Inverter Bulb
- LED High Wattage Bulbs
- LED Batten
- GEMO Series
- Deep COB Light
- Classic Deep Downlight PC Body
- LED COB Downlight Aluminum Body
- LED COB Downlight PC Body

- LED Rimless Panel Light
- Adjustable Panel Light
- LED Backlit PC body 3-in-1
- LED Backlit PC Body Panel
- LED Edgelit PC Body Slim Panel
- LED Surface Panel Light
- Compact Surface Light
- LED Concealed Downlight
- LED Mini Surface Light
- Spot Light PC Body
- LED Cabinet Light
- 2 x 2 Backlit LED Panel



Life is a party,
enjoy every moment!



LED 0.5W BULBS



WATTAGE	INPUT VOLTAGE	OPERATING VOLTAGE	PF	DIMENSION
0.5W	230V AC	90V-300V AC	0.3	45x69 mm

Colour Temperature: White, Warm White, Red, Blue, Green, Yellow, Pink & RGB BASE: B22

APPLICATIONS

Homes Restaurants



LIFE Up to 25,000 Hrs



Upto 2.5KV Surge Protection



Compact Design



Upto 80% Saving



Better Beam Angle

LED 0.5W BULBS (with plug)



WATTAGE	INPUT VOLTAGE	OPERATING VOLTAGE	PF	DIMENSION
0.5W	230V AC	90V-300V AC	0.3	D-45 x H-69 mm

Colour Temperature: White, Warm White, Red, Blue, Green, Yellow, Pink & RGB BASE: B22

APPLICATIONS

Homes Restaurants



LIFE Up to 25,000 Hrs



Upto 2.5KV Surge Protection



Compact Design



Upto 80% Saving



Better Beam Angle

Say goodbye to dull and traditional lighting. Introducing our versatile LED 0.5W Bulbs, your perfect lighting solution for any occasion! With a wide range of vibrant color options including White, Red, Blue, Green, Yellow, Warm White and Pink, these bulbs bring a pop of personality to any space. Whether you need to brighten up your home, create an inviting ambiance in your office, add a touch of style to your favorite hangout spot, or even illuminate testing labs with precision. Create an inviting atmosphere that exudes warmth, vibrancy, and charm.

Light Up Your World,
Create Magical Ambiance



LED BULBS





WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	COLOURS	DIMENSION
3W	230V AC	80	120V-300V AC	360	0.95	CDL	D-55 X H-98mm
5W	230V AC	80	120V-300V AC	600	0.95	CDL	D-59 X H-101mm
7W	230V AC	80	120V-300V AC	840	0.95	CDL	D-59 X H-101mm
9W	230V AC	80	120V-300V AC	1080	0.95	CDL/WW	D-59 X H-101mm
12W	230V AC	80	120V-300V AC	1440	0.95	CDL	D-65 X H-120mm
14W	230V AC	80	120V-300V AC	1680	0.95	CDL	D-70 X H-136mm
18W	230V AC	80	120V-300V AC	2160	0.95	CDL	D-80 X H-150mm
20W	230V AC	80	120V-300V AC	2400	0.95	CDL	D-80 X H-150mm
23W	230V AC	80	120V-300V AC	2760	0.95	CDL	D-80 X H-150mm

Colour Temperature: 2700K, 6500K

BASE: B22/E27

APPLICATIONS



LED HALF DOME LED BULB





WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	COLOURS	DIMENSION
3W	230V AC	80	120V-300V AC	360	0.95	CDL	D-55 X H-98mm
5W	230V AC	80	120V-300V AC	600	0.95	CDL	D-59 X H-101mm
7W	230V AC	80	120V-300V AC	840	0.95	CDL	D-59 X H-101mm
9W	230V AC	80	120V-300V AC	1080	0.95	CDL/WW	D-59 X H-101mm
12W	230V AC	80	120V-300V AC	1440	0.95	CDL	D-65 X H-120mm
14W	230V AC	80	120V-300V AC	1680	0.95	CDL	D-70 X H-136mm
18W	230V AC	80	120V-300V AC	2160	0.95	CDL	D-80 X H-150mm
20W	230V AC	80	120V-300V AC	2400	0.95	CDL	D-80 X H-150mm
23W	230V AC	80	120V-300V AC	2760	0.95	CDL	D-80 X H-150mm

Colour Temperature: 6500K

BASE: B22/E27

APPLICATIONS



Seamless Celebration,
Lighting that Never Fades !



INVERTER BULB



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	COLOURS	DIMENSION
9W	230V AC	80	100V-300V AC	900	0.95	6500K	D-70 X H-140 mm
12W	230V AC	80	100V-300V AC	1200	0.95	6500K	D-70 X H-140 mm

Colour Temperature: 6500K

BASE: B22

APPLICATIONS

Homes Restaurants Office Malls



LIFE Up to 25,000 Hrs



Upto 440V, 4KV Surge Protection




Eco Friendly



Upto 80% Saving

No more fumbling in the dark or letting precious moments get spoiled! Our LED Inverter Bulb is designed to keep your surroundings illuminated when electricity is nowhere to be found.

With its innovative inverter technology, this bulb works like a charm during power outages, ensuring you never miss a beat. Whether it's a cozy family dinner, an exciting game night, or a romantic evening, this bulb has got your back.



Radiant Illumination for Majestic Spaces



LED HIGH WATTAGE BULB



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	COLOURS	DIMENSION
30W	230V AC	80	120V-300V AC	2850	0.95	6500K	D-100 X H 173 mm
40W	230V AC	80	120V-300V AC	3600	0.95	6500K	D-117 X H 200 mm
50W	230V AC	80	120V-300V AC	4500	0.95	6500K	D-137 X H 230 mm

Colour Temperature: 6500K

BASE: B22

APPLICATIONS

- Homes
- Malls
- Parking Area
- Shops
- LIFE Up to 25,000 Hrs
- Upto 440V, 4KV Surge Protection
- Eco Friendly
- Upto 80% Saving

Say goodbye to dimly lit corners and hello to a well-lit working environment! The ultimate lighting solution for large spaces! Designed with power and efficiency in mind, these bulbs are perfect for illuminating your large spaces. With their high wattage capabilities, our LED bulbs deliver bright and vibrant lighting, ensuring optimal visibility throughout your space.

Create a Warm and Inviting Atmosphere



LED BATTEN

WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
5W	230V AC	80	100V-300V AC	500	0.95	300x37x22 mm
10W	230V AC	80	100V-300V AC	1000	0.95	600x37x22 mm
20W	230V AC	80	100V-300V AC	2000	0.95	1130x19.5x31.5 mm
24W	230V AC	80	100V-300V AC	2400	0.95	1185x37x22 mm
36W-AL	230V AC	80	100V-300V AC	3600	0.95	1200x30x35 mm

Colour Temperature: For 20W - CDL, WW, Red, Blue, Green & Pink

APPLICATIONS

Homes Restaurants Office Malls



LIFE Up to 25,000 Hrs



Upto 440V, 4kV Surge Protection



Eco Friendly





Upto 80% Saving

Get ready to transform your space with its brilliant features. It's the perfect companion for any room. Say goodbye to eye strain and pesky dust and insects, as this batten provides gentle, eye-friendly illumination while keeping unwanted critters at bay. Plus, it boasts an impressive shelf life of 25,000 hours, so you can enjoy long-lasting performance. Isn't that fantastic?

IVAS

My collection of
brightest shining lights





the perfect lighting solution for your home or business! With its exceptional beam angle and innovative design, this versatile light fixture effortlessly adds a touch of elegance to any space. Illuminate your surroundings with a warm and inviting glow, highlighting your cherished pieces, such as stunning artwork or captivating photo frames. Whether you're looking to create cozy zones in your living room or draw attention to key focal points in your commercial space, it has got you covered. Its reliable performance and stylish aesthetics make it an ideal choice for both home and commercial lighting needs.


GEMO SERIES



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUTOUT	DIMENSION
4W	230V AC	80	100-300V AC	320	0.95	57mm	D-69 x H-65mm
6W	230V AC	85	100-300V AC	510	0.95	57mm	D-69 x H-65mm
8W	230V AC	85	100-300V AC	680	0.95	75mm	D-84.5 x H-75mm
12W	230V AC	85	100-300V AC	1020	0.95	75mm	D-84.5 x H-75mm
18W	230V AC	85	100-300V AC	1530	0.95	85mm	D-95 x H-97mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



DEEP COB LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
9W	230V AC	80	100V-300V AC	900	0.95	116x38 mm
12W	230V AC	80	100V-300V AC	1200	0.95	166x37 mm
15W	230V AC	80	100V-300V AC	1500	0.95	166x37 mm
18W	230V AC	80	100V-300V AC	1800	0.95	219x37 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



Discover the Magic of Radiant Lighting



CLASSIC DEEP DOWN LIGHT PC BODY



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
12W	230V AC	80	100V-300V AC	1200	0.95	108mm	D-118 x H-60 mm
18W	230V AC	80	100V-300V AC	1800	0.95	142mm	D-152 x H-60 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS

- Homes
- Restaurants
- Office
- LIFE Up to 25,000 Hrs
- Operate 100/230V
- Eco Friendly
- Upto 440V, 4KV Surge Protection
- Compact Design
- Upto 80% Saving
- Better Beam Angle

your ultimate lighting solution for both home and commercial spaces! Whether you're looking to add warmth and charm to your living room or make a bold statement in your office, the Deep Down Light has got you covered. Experience the perfect blend of functionality and style as this friendly luminary brightens up your surroundings, making every moment feel cozy and inviting. Upgrade your lighting game today with the Deep Down Light – your trusted companion for a brilliantly illuminated space!



LED COB DOWNLIGHT ALUMINUM BODY



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
5W	230V AC	80	100V-300V AC	500	0.95	75mm	D-85 x H-27 mm
7W	230V AC	80	100V-300V AC	700	0.95	75mm	D-85 x H-27 mm
9W	230V AC	80	100V-300V AC	900	0.95	90mm	D-105 x H-30 mm
12W	230V AC	80	100V-300V AC	1200	0.95	90mm	D-105 x H-30 mm
15W	230V AC	80	100V-300V AC	1500	0.95	104mm	D-120 x H-35 mm
18W	230V AC	80	100V-300V AC	1800	0.95	104mm	D-120 x H-35 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



LED COB DOWNLIGHT PC BODY



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
6W	230V AC	80	100V-300V AC	540	0.95	72mm	D-95 x H-47 mm
9W	230V AC	80	100V-300V AC	810	0.95	93mm	D-117 x H-51 mm
12W	230V AC	80	100V-300V AC	1080	0.95	118.5mm	D-139 x H-55 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



Embrace the Glow,
Elevate Your Décor



LED RIMLESS PANEL LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
8W	230V AC	80	100V-300V AC	640	0.95	73mm	D-101 x H-35.5 mm

Colours : 6500K, WW, Red, Blue, Green, Pink, Rainbow

APPLICATIONS



Introducing our revolutionary LED Rimless Panel Light, the perfect lighting solution for any space! With its sleek and modern design, this versatile panel light effortlessly blends into any home, restaurant, or office environment, creating a warm and inviting atmosphere. providing a seamless and uniform illumination that is both energy-efficient and easy on the eyes. Experience the brilliance of crystal-clear lighting that enhances productivity, sets the mood, and adds a touch of elegance to any room.



Unveil a World of Refined Luminosity



ADJUSTABLE PANEL ROUND



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
10W	220V-230V AC	80	100V-300V AC	1000	0.95	2.5 to 4 inch	D-116 x H-39 mm
15W	220V-230V AC	80	100V-300V AC	1500	0.95	2.5 to 6 inch	D-165 x H-39 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS





ADJUSTABLE PANEL SQUARE



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
10W	220V-230V AC	80	100V-300V AC	1000	0.95	2.5 to 4 inch	116x116x39 mm
15W	220V-230V AC	80	100V-300V AC	1500	0.95	2.5 to 6 inch	165x165x39 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



IVAS

My collection of elegant ceiling lights




Indulge in a Symphony of Colors and Embrace the Celebration



cool white

warm white

natural white



LED BACKLIT PC BODY 3-IN-1 ROUND



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
9W	230V AC	80	100V-300V AC	900/810/810	0.95	D-116 x H-35 mm
12W	230V AC	80	100V-300V AC	1200/1080/1080	0.95	D-165 x H-35 mm
15W	230V AC	80	100V-300V AC	1500/1350/1350	0.95	D-165 x H-35 mm
20W	230V AC	80	100V-300V AC	2000/1800/1800	0.95	D-220 x H-35 mm

Colour Temperature: 3 COLORS IN ONE PANEL

APPLICATIONS



Office Conference Rooms



Upto 4KV Surge Protection



LIFE Up to 25,000 Hrs



Operate 100/230V



Eco Friendly



Upto 80% Saving

LED BACKLIT PC BODY 3-IN-1 SQUARE



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
9W	230V AC	80	100V-300V AC	900/810/810	0.95	116x116x35 mm
12W	230V AC	80	100V-300V AC	1200/1080/1080	0.95	165x165x35 mm
15W	230V AC	80	100V-300V AC	1500/1350/1350	0.95	165x165x35 mm
20W	230V AC	80	100V-300V AC	2000/1800/1800	0.95	220x220x35 mm

Colour Temperature: 3 COLORS IN ONE PANEL

APPLICATIONS



Office Conference Rooms



Upto 4KV Surge Protection



LIFE Up to 25,000 Hrs



Operate 100/230V



Eco Friendly




Upto 80% Saving

This led light is the perfect addition to your home. It comes in three colors, and you can change the color of your lights with the flip of a switch. You can set them as warm white only, white only, or both.

This led light is maintenance-free for long periods without needing any extra care. You'll love the payback period on this product : it's great !

INDOOR - CEILING



LED BACKLIT PC BODY PANEL ROUND



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
5W	230V AC	80	100V-300V AC	400	0.95	65mm	D-81 x H-35 mm
9W	230V AC	80	100V-300V AC	900	0.95	104mm	D-116 x H-35 mm
12W	230V AC	80	100V-300V AC	1200	0.95	155mm	D-165 x H-35 mm
15W	230V AC	80	100V-300V AC	1500	0.95	155mm	D-165 x H-35 mm
18W	230V AC	80	100V-300V AC	1800	0.95	200mm	D-220 x H-35 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



LED BACKLIT PC BODY PANEL SQUARE




WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
5W	230V AC	80	100V-300V AC	400	0.95	65mm	81x81x35 mm
9W	230V AC	80	100V-300V AC	900	0.95	104mm	116x116x35 mm
12W	230V AC	80	100V-300V AC	1200	0.95	155mm	165x165x35 mm
15W	230V AC	80	100V-300V AC	1500	0.95	155mm	165x165x35 mm
18W	230V AC	80	100V-300V AC	1800	0.95	200mm	220x220x35 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



Create a Striking Visual Impact with Elegant Lighting



LED EDGELIT PC BODY SLIM PANEL ROUND



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
5W	230V AC	80	100V-300V AC	375	0.95	104mm	D-121 x H-25 mm
9W	230V AC	80	100V-300V AC	675	0.95	104mm	D-121 x H-25 mm
12W	230V AC	80	100V-300V AC	960	0.95	155mm	D-171 x H-25 mm
15W	230V AC	80	100V-300V AC	1200	0.95	155mm	D-171 x H-25 mm
18W	230V AC	80	100V-300V AC	1440	0.95	200mm	D-222 x H-25 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



LED EDGELIT PC BODY SLIM PANEL SQUARE




WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
5W	230V AC	80	100V-300V AC	375	0.95	104mm	121x121x25 mm
9W	230V AC	80	100V-300V AC	675	0.95	104mm	121x121x25 mm
12W	230V AC	80	100V-300V AC	960	0.95	155mm	171x171x25 mm
15W	230V AC	80	100V-300V AC	1200	0.95	155mm	171x171x25 mm
18W	230V AC	80	100V-300V AC	1440	0.95	200mm	222x222x25 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



Elevate Every Moment
Embrace the Allure




LED SURFACE PANEL LIGHT SQUARE



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
9W	230V AC	80	100V-300V AC	900	0.95	116x116x38 mm
12W	230V AC	80	100V-300V AC	1200	0.95	166x166x38 mm
15W	230V AC	80	100V-300V AC	1500	0.95	166x166x38 mm
18W	230V AC	80	100V-300V AC	1800	0.95	219x219x37 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



LED SURFACE PANEL LIGHT ROUND



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
9W	230V AC	80	100V-300V AC	900	0.95	116x38 mm
12W	230V AC	80	100V-300V AC	1200	0.95	166x38 mm
15W	230V AC	80	100V-300V AC	1500	0.95	166x38 mm
18W	230V AC	80	100V-300V AC	1800	0.95	219x37 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



Transform Your Space with Miniature Illumination



COMPACT SURFACE LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
10W	230V AC	80	100V-300V AC	855	0.95	96x50 mm
15W	230V AC	80	100V-300V AC	1500	0.95	146x46 mm

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS



LED CONCEALED DOWNLIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	CUT OUT	DIMENSION
3W	230V AC	80	100V-300V AC	210	0.95	60mm	D-80 x H-35 mm
4W	230V AC	80	100V-300V AC	280	0.95	47mm	D-80 x H-46 mm
6W	230V AC	80	100V-300V AC	420	0.95	77mm	D-112 x H-54 mm
7W	230V AC	80	100V-300V AC	525	0.95	67mm	D-109 x H-34 mm

Colour Temperature: 2700K, 4000K, 6500K, Red, Blue, Green & Pink

APPLICATIONS



Introducing the Compact Surface Light – your go-to solution for creating a warm and inviting ambiance in small, cosy spaces! Whether it's a cupboard, wardrobe, or study area, this versatile light effortlessly illuminates your surroundings with a gentle glow. Experience the perfect balance between functionality and style with the Compact Surface Light – because even the smallest areas deserve a welcoming atmosphere.



illuminate every cozy corners

Say goodbye to dim corners and hello to vibrant illumination! Perfect for adding a touch of magic to any spot in your home. This little wonder is versatile, fitting seamlessly into any small area, wardrobes, and more. Its compact size makes it easy to install and ensures it won't overpower your space. Say goodbye to dim corners and hello to vibrant illumination! With our LED Mini Surface Light, you'll experience the perfect blend of functionality and charm.



LED MINI SURFACE LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
3W	230V AC	80	100V-300V AC	210	0.95	D-68 x H-14 mm

Colour Temperature: 2700K, 4000K, 6500K, Red, Blue, Green

APPLICATIONS




SPOT LIGHT PC BODY



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
6W	230V AC	80	100V-300V AC	540	0.95	
9W	230V AC	80	100V-300V AC	810	0.95	
12W	230V AC	80	100V-300V AC	1080	0.95	

Colour Temperature: 2700K, 4000K, 6500K

APPLICATIONS




LED CABINET LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
2W	230V AC	80	100V-300V AC	120	0.95	D-42 x H-16 mm

Colour Temperature: 2700K, 4000K, 6500K, Red, Blue, Green

APPLICATIONS



Expand Your Horizons
Illuminating Possibilities in Every Dimension



2 X 2 BACKLIT LED PANEL



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
36W	230V AC	80	100V-300V AC	3600	0.95	595x595x36 mm

Colour Temperature: 6500K

APPLICATIONS

Office Conference Rooms Shops Malls



Illuminate your surroundings with a warm and welcoming glow that will enhance the ambiance of any room. With its sleek design and easy installation, this light is a hassle-free way to upgrade your lighting setup.




Whether you need to brighten up your shopping mall, commercial space or any other larger area, our LED 2x2 Ceiling Light has got you covered. It provides ample coverage, ensuring every corner is well-lit and inviting. Plus, with its versatile design, it seamlessly blends into any decor style, adding a touch of elegance to your space.



LED LIGHTS

- FOOT LAMP
- BULKHEAD LIGHT
- BULKHEAD LIGHT
- WALL LIGHT
- WALL LIGHT
- STREET LIGHT
- FLOOD LIGHT
- GARDEN LIGHT

Light up Every Step with Guided Illumination



LED FOOT LAMP

WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
6W	230V AC	80	100V-300V AC	450	0.95	114x36x84 mm
8W	230V AC	80	100V-300V AC	800	0.95	150x70x39 mm

Colour Temperature: 2700K, 6500K

APPLICATIONS

- Homes
- Restaurants
- Stairs
- Garden
- LIFE Up to 25,000 Hrs
- Upto 2.5KV Surge Protection
- Compact Design
- Operate 100/230V
- Eco Friendly

Enhance safety and elegance in your home with our exquisite foot lights. Designed specifically for staircases and pathways, our lights create a captivating ambiance while guiding your every step.

Say goodbye to dark and hazardous stairways. Our foot lights provide a gentle, yet sufficient, glow, ensuring you and your loved ones navigate with confidence. Walk with peace of mind and add a touch of sophistication to your home.

Let Your surroundings
Shine with Serene Elegance




LED BULKHEAD LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
10W-OVAL	230V AC	80	100V-300V AC	800	0.95	150x80x40mm
15W	230V AC	80	100V-300V AC	1125	0.95	183.4x114.3x69.8mm

Colour Temperature: 2700K, 6500K

APPLICATIONS



LED BULKHEAD LIGHT ALUMINIUM



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
10W-SQUARE UFO	230V AC	80	100V-300V AC	750	0.95	135x135x100mm
5W-UMBERLLA	230V AC	80	100V-300V AC	750	0.95	66x66x80mm


Colour Temperature: 2700K, 6500K

APPLICATIONS




IVAS

My collection of
decorative wall lights



Captivate with Light,
Elevate Your Ambiance.




LED WALL LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
X RAY 4x1W	230V AC	80	100V-300V AC	450	0.95	90x40mm
W RAY 6W	230V AC	80	100V-300V AC	450	0.95	170x40x90mm
U RAY 10W	230V AC	80	100V-300V AC	750	0.95	140x88x44mm

Colour Temperature: 2700K, 6500K & RGB

APPLICATIONS




LED WALL LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
TRIDENT 10W	230V AC	80	100V-300V AC	750	0.95	120x37x60mm
ARROW 10W	230V AC	80	100V-300V AC	750	0.95	210x85x85mm
SQUARE UD 10W	230V AC	80	100V-300V AC	750	0.95	210x85x85mm

Colour Temperature: 2700K, 6500K

APPLICATIONS



Enjoy Moments in Mesmerizing Light




LED WALL LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
ROUND OS 5W	230V AC	80	100V-300V AC	375	0.95	85x68x80mm
SQUARE OS 5W	230V AC	80	100V-300V AC	375	0.95	80x65x80mm
SQUARE SILK 10W	230V AC	80	100V-300V AC	750	0.95	152x65x80mm

Colour Temperature: 2700K, 6500K

APPLICATIONS




LED WALL LIGHTS




WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
CAPSULE UD 6W	230V AC	80	100V-300V AC	450	0.95	35x50x138mm
BOX 10W	230V AC	80	100V-300V AC	750	0.95	103x77x55mm
SQUARE CUBA 10W	230V AC	80	100V-300V AC	750	0.95	122x60x83mm

Colour Temperature: 2700K, 6500K

APPLICATIONS



Celebrating the Night : Transforming City Streets



LED STREET LIGHT



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
20W	230V AC	80	85-285V AC	2000	0.95	230x115x40 mm
30W	230V AC	80	85-285V AC	3000	0.95	300x110x57 mm
45W	230V AC	80	85-285V AC	4500	0.95	350x130x57 mm
50W	230V AC	80	85-285V AC	5000	0.95	350x130x57 mm
70W	230V AC	80	85-285V AC	7000	0.95	380x155x57 mm
100W	230V AC	80	85-285V AC	10000	0.95	380x155x57 mm
120W	230V AC	80	85-285V AC	12000	0.95	450x220x70 mm

Colour Temperature: 6500K

APPLICATIONS



LED FLOOD LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
12W	230V AC	80	100V-300V AC	1000	0.95	130x115x40 mm
24W	230V AC	80	100V-300V AC	2400	0.95	185x185x50 mm
50W	230V AC	80	100V-300V AC	5000	0.95	185x185x50 mm
75W	230V AC	80	100V-300V AC	7500	0.95	256x106x118 mm
100W	230V AC	80	100V-300V AC	10000	0.95	287x217x145 mm

Colour Temperature: 6500K

APPLICATIONS



Illuminate your neighborhood with style and efficiency using our high-quality LED lights. Designed to brighten up your surroundings while conserving energy, these lights are a cost-effective and eco-friendly choice. With their sleek and modern design, they seamlessly blend into any environment. Enjoy the benefits of superior illumination, durability, and longevity with our LED Street Light and Flood Light.

Create an Aura of Tranquility
with Serene Lighting



GARDEN LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
5W	230V AC	80	100V-300V AC	375	0.95	D 72 X L 256mm

Colour Temperature: 2700K, 6500K, Blue, Green, Purple

APPLICATIONS

Garden



LIFE Up to 25,000 Hrs



Upto 2.5KV Surge Protection



Compact Design



Upto 80% Saving

Transform your garden into a mesmerizing oasis with our stunning range of garden lights. Radiate warmth, elegance, and charm throughout your outdoor space, creating an enchanting ambiance that will leave your guests in awe. With easy installation and durable materials, our garden lights are built to withstand the test of time. Rain or shine, they'll continue to shine bright. Embrace the magic of the night and watch as your garden transforms into a sanctuary of enchantment.

Elevate Your Festivities with Magical Illumination



ROPE LIGHTS



WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	NO OF LED	DIMENSION
5W/METER(2835)	230V AC	80	100V-300V AC	450	0.90	120 LEDS/MTR	1000x10x6mm
5W/METER(5050)	230V AC	80	100V-300V AC	450	0.90	60 LEDS/MTR	1000x10x6mm

Colour Temperature: 6500K, 3000K, 4000K, Blue, Green, Red, Pink, Amber, Ice Blue, RGB

APPLICATIONS



LIFE Up to 10,000 Hrs



Upto 750KV Surge Protection



Compact Design



Upto 80% Saving

Illuminate your space with style and ease using our waterproof LED Rope Light. Crafted with flexible PVC tubing, this versatile lighting solution is perfect for both indoor and outdoor use. Whether you're sprucing up your backyard, creating a festive ambience for a special occasion, or simply adding a touch of magic to your everyday life, our LED Rope Light has got you covered.

INDUSTRIAL





LED LIGHTS

LED Highbay Light
LED Highbay Light-UFO



Expand Your Horizons :
Illuminating Possibilities
in Every Dimension



LED Highbay Lights - UFO




WATTAGE	INPUT VOLTAGE	CRI	OPERATING VOLTAGE	LUMENS	PF	DIMENSION
80W	230V AC	80	100V-300V AC	8000	0.95	D 245 X H 130mm
100W	230V AC	80	100V-300V AC	10000	0.95	D 275 X H 80mm
150W	230V AC	80	100V-300V AC	15000	0.95	D 320 X H 200mm
200W	230V AC	80	100V-300V AC	20000	0.95	D 360 X H 190mm
240W	230V AC	80	100V-300V AC	24000	0.95	D 360 X H 190mm

Colour Temperature: 2700K, 6500K

APPLICATIONS

Factories Industrial Shades



Experience unmatched brightness and efficiency with our high bay lights, designed for large-scale industrial spaces. From factories to warehouses, our lights deliver exceptional illumination that surpasses all expectations.

With cutting-edge technology and precision engineering, our high bay lights provide optimal lighting coverage, ensuring every corner of your space is brilliantly lit.